

**DATA DICTIONARY FOR
HOUSING ARCHIVE AND
COMMERCIAL PORTFOLIO**

13 Mar 2019

1. Rental Estates & Rural Public Housing: https://www.hkhs.com/api/json?type=ha&id=4_5

Item	Description	Note
tc	Value in Traditional Chinese.	
sc	Value in Simplified Chinese.	
en	Value in English.	
name	Name of the public housing estates.	Text tc: X(45) sc: X(45) en: X(45) Example: "name_tc": "觀龍樓", "name_sc": "观龙楼", "name_en": "Kwun Lung Lau"
address	Address of the public housing estates.	Text tc: X(500) sc: X(500) en: X(500) Example1: "address_tc": "香港堅尼地城龍華街 20 號", "address_sc": "香港坚尼地城龙华街 20 号", "address_en": "20 Lung Wah Street, Kennedy Town, Hong Kong" Example2: "address_tc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_sc": "九龙土瓜湾靠背垄道 160 号 高山道 89-111 号", "address_en": "120-160 Kau Pui Lung Road 89-111 Ko Shan Road, Tokwawan, Kowloon" : Split String
sitearea	Area of site.	Text tc: X(255) sc: X(255) en: X(255) Example1: "sitearea_tc": "22,654.21 平方米", "sitearea_sc": "22,654.21 平方米", "sitearea_en": "22,654.21 sq. m." Example2: "sitearea_tc": "約 1,871.63 平方米", "sitearea_sc": "约 1,871.63 平方米", "sitearea_en": "Approx. 1,871.63sq. m."

Item	Description	Note
completionyear	Year of completing building the court.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "completionyear_tc":"1965", "completionyear_sc":"1965", "completionyear_en":"1965",</p> <p>Example2: "completionyear_tc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_sc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_en":"2007 Phase I (Redevelopment): Tower 1 & 2 1967 Phase II: Block A to D 1968 Phase II: Block E to F"</p> <p> : Split String</p>
noofblocks	Number of blocks.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "noofblocks_tc":"8", "noofblocks_sc":"8", "noofblocks_en":"8"</p> <p>Example2: "noofblocks_tc":"1 (出租) 4 (出售)", "noofblocks_sc":"1 (出租) 4 (出售)", "noofblocks_en":"1 (Rental) 4 (Sale)"</p> <p> : Split String</p>

Item	Description	Note
totalflat	Number of flats.	<p>Text</p> <p>tc: X(255)</p> <p>sc: X(255)</p> <p>en: X(255)</p> <p>Example1:</p> <p>"totalflat_tc": "3,674 (部分為年長者單位)",</p> <p>"totalflat_sc": "3,674 (部分為年長者單位)",</p> <p>"totalflat_en": "3,674 (Including elderly persons' flats)"</p> <p>Example2:</p> <p>"totalflat_tc": "872 第一期(重建) 1,468 第二期 2,340 合共",</p> <p>"totalflat_sc": "872 第一期(重建) 1,468 第二期 2,340 合共",</p> <p>"totalflat_en": "872 Phase I (Redevelopment) 1,468 Phase II 2,340 Total"</p> <p> : Split String</p>
flatarea	Area of flats.	<p>Text</p> <p>tc: X(255)</p> <p>sc: X(255)</p> <p>en: X(255)</p> <p>Example1:</p> <p>"flatarea_tc": "約 18.70 - 51.40 平方米",</p> <p>"flatarea_sc": "約 18.70 - 51.40 平方米",</p> <p>"flatarea_en": "18.70 - 51.40 sq. m."</p> <p>Example2:</p> <p>"flatarea_tc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)",</p> <p>"flatarea_sc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)",</p> <p>"flatarea_en": "27.08 - 46.77 sq. m. (Rental) 55.56 - 76.65 sq. m. (Sale)"</p> <p> : Split String</p>

Item	Description	Note
profile	Profile of the estate.	Text tc: X(1000) sc: X(1000) en: X(1000) Example: "profile_tc": "興建偉景花園的土地是由開山及填海而得來 屋邨落成初期主要為受荃灣寶石大廈重建影響的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_sc": "兴建伟景花园的土地是由开山及填海而得來 屋邨落成初期主要为受荃湾宝石大厦重建影响的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_en": "Built on land acquired by excavation and reclamation The estate was built initially to rehouse the residents affected by the redevelopment of Bo Shek Mansion A small shopping mall was provided for the convenience of the tenants" : Split String
facilities	Facilities that estate provided.	Text tc: X(500) sc: X(500) en: X(500) Example: "facilities_tc": "停車場,幼稚園,休憩園林,商舖", "facilities_sc": "停车场,幼稚园,休憩园林,商铺", "facilities_en": "Carparks,Kindergarten,Landscaped garden,Shops"

2. Flat-for-Sale Scheme: <https://www.hkhs.com/api/json?type=ha&id=1>

Item	Description	Note
tc	Value in Traditional Chinese.	
sc	Value in Simplified Chinese.	
en	Value in English.	
name	Name of the public housing estates.	Text tc: X(45) sc: X(45) en: X(45) Example: "name_tc": "觀龍樓", "name_sc": "观龙楼", "name_en": "Kwun Lung Lau"

Item	Description	Note
address	Address of the public housing estates.	<p>Text</p> <p>tc: X(500) sc: X(500) en: X(500)</p> <p>Example1: "address_tc": "香港堅尼地城龍華街 20 號", "address_sc": "香港堅尼地城龍華街 20 號", "address_en": "20 Lung Wah Street, Kennedy Town, Hong Kong"</p> <p>Example2: "address_tc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_sc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_en": "120-160 Kau Pui Lung Road 89-111 Ko Shan Road, Tokwawan, Kowloon"</p> <p> : Split String</p>
sitearea	Area of site.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "sitearea_tc": "22,654.21 平方米", "sitearea_sc": "22,654.21 平方米", "sitearea_en": "22,654.21 sq. m."</p> <p>Example2: "sitearea_tc": "約 1,871.63 平方米", "sitearea_sc": "約 1,871.63 平方米", "sitearea_en": "Approx. 1,871.63sq. m."</p>

Item	Description	Note
completionyear	Year of completing building the court.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "completionyear_tc":"1965", "completionyear_sc":"1965", "completionyear_en":"1965",</p> <p>Example2: "completionyear_tc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_sc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_en":"2007 Phase I (Redevelopment): Tower 1 & 2 1967 Phase II: Block A to D 1968 Phase II: Block E to F"</p> <p> : Split String</p>
noofblocks	Number of blocks.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "noofblocks_tc":"8", "noofblocks_sc":"8", "noofblocks_en":"8"</p> <p>Example2: "noofblocks_tc":"1 (出租) 4 (出售)", "noofblocks_sc":"1 (出租) 4 (出售)", "noofblocks_en":"1 (Rental) 4 (Sale)"</p> <p> : Split String</p>

Item	Description	Note
totalflat	Number of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "totalflat_tc": "3,674 (部分為年長者單位)", "totalflat_sc": "3,674 (部分為年長者單位)", "totalflat_en": "3,674 (Including elderly persons' flats)"</p> <p>Example2: "totalflat_tc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_sc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_en": "872 Phase I (Redevelopment) 1,468 Phase II 2,340 Total"</p> <p> : Split String</p>
flatarea	Area of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "flatarea_tc": "約 18.70 - 51.40 平方米", "flatarea_sc": "約 18.70 - 51.40 平方米", "flatarea_en": "18.70 - 51.40 sq. m."</p> <p>Example2: "flatarea_tc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_sc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_en": "27.08 - 46.77 sq. m. (Rental) 55.56 - 76.65 sq. m. (Sale)"</p> <p> : Split String</p>

Item	Description	Note
profile	Profile of the estate.	Text tc: X(1000) sc: X(1000) en: X(1000) Example: "profile_tc": "興建偉景花園的土地是由開山及填海而得來 屋邨落成初期主要為受荃灣寶石大廈重建影響的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_sc": "兴建伟景花园的土地是由开山及填海而得來 屋邨落成初期主要为受荃湾宝石大厦重建影响的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_en": "Built on land acquired by excavation and reclamation The estate was built initially to rehouse the residents affected by the redevelopment of Bo Shek Mansion A small shopping mall was provided for the convenience of the tenants" : Split String
facilities	Facilities that estate provided.	Text tc: X(500) sc: X(500) en: X(500) Example: "facilities_tc": "停車場,幼稚園,休憩園林,商舖", "facilities_sc": "停车场,幼稚园,休憩园林,商铺", "facilities_en": "Carparks,Kindergarten,Landscaped garden,Shops"

3. Sandwich Class Housing Scheme: <https://www.hkhs.com/api/json?type=ha&id=6>

Item	Description	Note
tc	Value in Traditional Chinese.	
sc	Value in Simplified Chinese.	
en	Value in English.	
name	Name of the public housing estates.	Text tc: X(45) sc: X(45) en: X(45) Example: "name_tc": "觀龍樓", "name_sc": "观龙楼", "name_en": "Kwun Lung Lau"

Item	Description	Note
address	Address of the public housing estates.	<p>Text</p> <p>tc: X(500) sc: X(500) en: X(500)</p> <p>Example1: "address_tc": "香港堅尼地城龍華街 20 號", "address_sc": "香港堅尼地城龍華街 20 號", "address_en": "20 Lung Wah Street, Kennedy Town, Hong Kong"</p> <p>Example2: "address_tc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_sc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_en": "120-160 Kau Pui Lung Road 89-111 Ko Shan Road, Tokwawan, Kowloon"</p> <p> : Split String</p>
sitearea	Area of site.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "sitearea_tc": "22,654.21 平方米", "sitearea_sc": "22,654.21 平方米", "sitearea_en": "22,654.21 sq. m."</p> <p>Example2: "sitearea_tc": "約 1,871.63 平方米", "sitearea_sc": "約 1,871.63 平方米", "sitearea_en": "Approx. 1,871.63sq. m."</p>

Item	Description	Note
completionyear	Year of completing building the court.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "completionyear_tc":"1965", "completionyear_sc":"1965", "completionyear_en":"1965",</p> <p>Example2: "completionyear_tc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_sc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_en":"2007 Phase I (Redevelopment): Tower 1 & 2 1967 Phase II: Block A to D 1968 Phase II: Block E to F"</p> <p> : Split String</p>
noofblocks	Number of blocks.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "noofblocks_tc":"8", "noofblocks_sc":"8", "noofblocks_en":"8"</p> <p>Example2: "noofblocks_tc":"1 (出租) 4 (出售)", "noofblocks_sc":"1 (出租) 4 (出售)", "noofblocks_en":"1 (Rental) 4 (Sale)"</p> <p> : Split String</p>

Item	Description	Note
totalflat	Number of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "totalflat_tc": "3,674 (部分為年長者單位)", "totalflat_sc": "3,674 (部分為年長者單位)", "totalflat_en": "3,674 (Including elderly persons' flats)"</p> <p>Example2: "totalflat_tc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_sc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_en": "872 Phase I (Redevelopment) 1,468 Phase II 2,340 Total"</p> <p> : Split String</p>
flatarea	Area of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "flatarea_tc": "約 18.70 - 51.40 平方米", "flatarea_sc": "約 18.70 - 51.40 平方米", "flatarea_en": "18.70 - 51.40 sq. m."</p> <p>Example2: "flatarea_tc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_sc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_en": "27.08 - 46.77 sq. m. (Rental) 55.56 - 76.65 sq. m. (Sale)"</p> <p> : Split String</p>

Item	Description	Note
profile	Profile of the estate.	Text tc: X(1000) sc: X(1000) en: X(1000) Example: "profile_tc": "興建偉景花園的土地是由開山及填海而得來 屋邨落成初期主要為受荃灣寶石大廈重建影響的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_sc": "兴建伟景花园的土地是由开山及填海而得來 屋邨落成初期主要为受荃湾宝石大厦重建影响的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_en": "Built on land acquired by excavation and reclamation The estate was built initially to rehouse the residents affected by the redevelopment of Bo Shek Mansion A small shopping mall was provided for the convenience of the tenants" : Split String
facilities	Facilities that estate provided.	Text tc: X(500) sc: X(500) en: X(500) Example: "facilities_tc": "停車場,幼稚園,休憩園林,商舖", "facilities_sc": "停车场,幼稚园,休憩园林,商铺", "facilities_en": "Carparks,Kindergarten,Landscaped garden,Shops"

4. Subsidised Sale Flats Projects: <https://www.hkhs.com/api/json?type=ha&id=8>

Item	Description	Note
tc	Value in Traditional Chinese.	
sc	Value in Simplified Chinese.	
en	Value in English.	
name	Name of the public housing estates.	Text tc: X(45) sc: X(45) en: X(45) Example: "name_tc": "觀龍樓", "name_sc": "观龙楼", "name_en": "Kwun Lung Lau"

Item	Description	Note
address	Address of the public housing estates.	<p>Text</p> <p>tc: X(500) sc: X(500) en: X(500)</p> <p>Example1: "address_tc": "香港堅尼地城龍華街 20 號", "address_sc": "香港堅尼地城龍華街 20 號", "address_en": "20 Lung Wah Street, Kennedy Town, Hong Kong"</p> <p>Example2: "address_tc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_sc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_en": "120-160 Kau Pui Lung Road 89-111 Ko Shan Road, Tokwawan, Kowloon"</p> <p> : Split String</p>
sitearea	Area of site.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "sitearea_tc": "22,654.21 平方米", "sitearea_sc": "22,654.21 平方米", "sitearea_en": "22,654.21 sq. m."</p> <p>Example2: "sitearea_tc": "約 1,871.63 平方米", "sitearea_sc": "約 1,871.63 平方米", "sitearea_en": "Approx. 1,871.63sq. m."</p>

Item	Description	Note
completionyear	Year of completing building the court.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "completionyear_tc":"1965", "completionyear_sc":"1965", "completionyear_en":"1965",</p> <p>Example2: "completionyear_tc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_sc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_en":"2007 Phase I (Redevelopment): Tower 1 & 2 1967 Phase II: Block A to D 1968 Phase II: Block E to F"</p> <p> : Split String</p>
noofblocks	Number of blocks.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "noofblocks_tc":"8", "noofblocks_sc":"8", "noofblocks_en":"8"</p> <p>Example2: "noofblocks_tc":"1 (出租) 4 (出售)", "noofblocks_sc":"1 (出租) 4 (出售)", "noofblocks_en":"1 (Rental) 4 (Sale)"</p> <p> : Split String</p>

Item	Description	Note
totalflat	Number of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "totalflat_tc": "3,674 (部分為年長者單位)", "totalflat_sc": "3,674 (部分為年長者單位)", "totalflat_en": "3,674 (Including elderly persons' flats)"</p> <p>Example2: "totalflat_tc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_sc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_en": "872 Phase I (Redevelopment) 1,468 Phase II 2,340 Total"</p> <p> : Split String</p>
flatarea	Area of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "flatarea_tc": "約 18.70 - 51.40 平方米", "flatarea_sc": "約 18.70 - 51.40 平方米", "flatarea_en": "18.70 - 51.40 sq. m."</p> <p>Example2: "flatarea_tc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_sc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_en": "27.08 - 46.77 sq. m. (Rental) 55.56 - 76.65 sq. m. (Sale)"</p> <p> : Split String</p>

Item	Description	Note
profile	Profile of the estate.	Text tc: X(1000) sc: X(1000) en: X(1000) Example: "profile_tc": "興建偉景花園的土地是由開山及填海而得來 屋邨落成初期主要為受荃灣寶石大廈重建影響的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_sc": "兴建伟景花园的土地是由开山及填海而得來 屋邨落成初期主要为受荃湾宝石大厦重建影响的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_en": "Built on land acquired by excavation and reclamation The estate was built initially to rehouse the residents affected by the redevelopment of Bo Shek Mansion A small shopping mall was provided for the convenience of the tenants" : Split String
facilities	Facilities that estate provided.	Text tc: X(500) sc: X(500) en: X(500) Example: "facilities_tc": "停車場,幼稚園,休憩園林,商舖", "facilities_sc": "停车场,幼稚园,休憩园林,商铺", "facilities_en": "Carparks,Kindergarten,Landscaped garden,Shops"

5. Senior Citizen Residences Scheme: <https://www.hkhs.com/api/json?type=ha&id=7>

Item	Description	Note
tc	Value in Traditional Chinese.	
sc	Value in Simplified Chinese.	
en	Value in English.	
name	Name of the public housing estates.	Text tc: X(45) sc: X(45) en: X(45) Example: "name_tc": "觀龍樓", "name_sc": "观龙楼", "name_en": "Kwun Lung Lau"

Item	Description	Note
address	Address of the public housing estates.	<p>Text</p> <p>tc: X(500) sc: X(500) en: X(500)</p> <p>Example1: "address_tc": "香港堅尼地城龍華街 20 號", "address_sc": "香港堅尼地城龍華街 20 號", "address_en": "20 Lung Wah Street, Kennedy Town, Hong Kong"</p> <p>Example2: "address_tc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_sc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_en": "120-160 Kau Pui Lung Road 89-111 Ko Shan Road, Tokwawan, Kowloon"</p> <p> : Split String</p>
sitearea	Area of site.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "sitearea_tc": "22,654.21 平方米", "sitearea_sc": "22,654.21 平方米", "sitearea_en": "22,654.21 sq. m."</p> <p>Example2: "sitearea_tc": "約 1,871.63 平方米", "sitearea_sc": "約 1,871.63 平方米", "sitearea_en": "Approx. 1,871.63sq. m."</p>

Item	Description	Note
completionyear	Year of completing building the court.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "completionyear_tc":"1965", "completionyear_sc":"1965", "completionyear_en":"1965",</p> <p>Example2: "completionyear_tc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_sc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_en":"2007 Phase I (Redevelopment): Tower 1 & 2 1967 Phase II: Block A to D 1968 Phase II: Block E to F"</p> <p> : Split String</p>
noofblocks	Number of blocks.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "noofblocks_tc":"8", "noofblocks_sc":"8", "noofblocks_en":"8"</p> <p>Example2: "noofblocks_tc":"1 (出租) 4 (出售)", "noofblocks_sc":"1 (出租) 4 (出售)", "noofblocks_en":"1 (Rental) 4 (Sale)"</p> <p> : Split String</p>

Item	Description	Note
totalflat	Number of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "totalflat_tc": "3,674 (部分為年長者單位)", "totalflat_sc": "3,674 (部分為年長者單位)", "totalflat_en": "3,674 (Including elderly persons' flats)"</p> <p>Example2: "totalflat_tc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_sc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_en": "872 Phase I (Redevelopment) 1,468 Phase II 2,340 Total"</p> <p> : Split String</p>
flatarea	Area of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "flatarea_tc": "約 18.70 - 51.40 平方米", "flatarea_sc": "約 18.70 - 51.40 平方米", "flatarea_en": "18.70 - 51.40 sq. m."</p> <p>Example2: "flatarea_tc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_sc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_en": "27.08 - 46.77 sq. m. (Rental) 55.56 - 76.65 sq. m. (Sale)"</p> <p> : Split String</p>

Item	Description	Note
profile	Profile of the estate.	Text tc: X(1000) sc: X(1000) en: X(1000) Example: "profile_tc": "興建偉景花園的土地是由開山及填海而得來 屋邨落成初期主要為受荃灣寶石大廈重建影響的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_sc": "兴建伟景花园的土地是由开山及填海而得來 屋邨落成初期主要为受荃湾宝石大厦重建影响的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_en": "Built on land acquired by excavation and reclamation The estate was built initially to rehouse the residents affected by the redevelopment of Bo Shek Mansion A small shopping mall was provided for the convenience of the tenants" : Split String
facilities	Facilities that estate provided.	Text tc: X(500) sc: X(500) en: X(500) Example: "facilities_tc": "停車場,幼稚園,休憩園林,商舖", "facilities_sc": "停车场,幼稚园,休憩园林,商铺", "facilities_en": "Carparks,Kindergarten,Landscaped garden,Shops"

6. The Tanner Hill: <https://www.hkhs.com/api/json?type=ha&id=3>

Item	Description	Note
tc	Value in Traditional Chinese.	
sc	Value in Simplified Chinese.	
en	Value in English.	
name	Name of the public housing estates.	Text tc: X(45) sc: X(45) en: X(45) Example: "name_tc": "觀龍樓", "name_sc": "观龙楼", "name_en": "Kwun Lung Lau"

Item	Description	Note
address	Address of the public housing estates.	<p>Text</p> <p>tc: X(500) sc: X(500) en: X(500)</p> <p>Example1: "address_tc": "香港堅尼地城龍華街 20 號", "address_sc": "香港堅尼地城龍華街 20 號", "address_en": "20 Lung Wah Street, Kennedy Town, Hong Kong"</p> <p>Example2: "address_tc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_sc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_en": "120-160 Kau Pui Lung Road 89-111 Ko Shan Road, Tokwawan, Kowloon"</p> <p> : Split String</p>
sitearea	Area of site.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "sitearea_tc": "22,654.21 平方米", "sitearea_sc": "22,654.21 平方米", "sitearea_en": "22,654.21 sq. m."</p> <p>Example2: "sitearea_tc": "約 1,871.63 平方米", "sitearea_sc": "約 1,871.63 平方米", "sitearea_en": "Approx. 1,871.63sq. m."</p>

Item	Description	Note
completionyear	Year of completing building the court.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "completionyear_tc": "1965", "completionyear_sc": "1965", "completionyear_en": "1965",</p> <p>Example2: "completionyear_tc": "2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_sc": "2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_en": "2007 Phase I (Redevelopment): Tower 1 & 2 1967 Phase II: Block A to D 1968 Phase II: Block E to F"</p> <p> : Split String</p>
noofblocks	Number of blocks.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "noofblocks_tc": "8", "noofblocks_sc": "8", "noofblocks_en": "8"</p> <p>Example2: "noofblocks_tc": "1 (出租) 4 (出售)", "noofblocks_sc": "1 (出租) 4 (出售)", "noofblocks_en": "1 (Rental) 4 (Sale)"</p> <p> : Split String</p>

Item	Description	Note
totalflat	Number of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "totalflat_tc": "3,674 (部分為年長者單位)", "totalflat_sc": "3,674 (部分為年長者單位)", "totalflat_en": "3,674 (Including elderly persons' flats)"</p> <p>Example2: "totalflat_tc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_sc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_en": "872 Phase I (Redevelopment) 1,468 Phase II 2,340 Total"</p> <p> : Split String</p>
flatarea	Area of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "flatarea_tc": "約 18.70 - 51.40 平方米", "flatarea_sc": "約 18.70 - 51.40 平方米", "flatarea_en": "18.70 - 51.40 sq. m."</p> <p>Example2: "flatarea_tc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_sc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_en": "27.08 - 46.77 sq. m. (Rental) 55.56 - 76.65 sq. m. (Sale)"</p> <p> : Split String</p>

Item	Description	Note
profile	Profile of the estate.	Text tc: X(1000) sc: X(1000) en: X(1000) Example: "profile_tc": "興建偉景花園的土地是由開山及填海而得來 屋邨落成初期主要為受荃灣寶石大廈重建影響的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_sc": "兴建伟景花园的土地是由开山及填海而得來 屋邨落成初期主要为受荃湾宝石大厦重建影响的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_en": "Built on land acquired by excavation and reclamation The estate was built initially to rehouse the residents affected by the redevelopment of Bo Shek Mansion A small shopping mall was provided for the convenience of the tenants" : Split String
facilities	Facilities that estate provided.	Text tc: X(500) sc: X(500) en: X(500) Example: "facilities_tc": "停車場,幼稚園,休憩園林,商舖", "facilities_sc": "停车场,幼稚园,休憩园林,商铺", "facilities_en": "Carparks,Kindergarten,Landscaped garden,Shops"

7. Full Market Value Developments: <https://www.hkhs.com/api/json?type=ha&id=2>

Item	Description	Note
tc	Value in Traditional Chinese.	
sc	Value in Simplified Chinese.	
en	Value in English.	
name	Name of the public housing estates.	Text tc: X(45) sc: X(45) en: X(45) Example: "name_tc": "觀龍樓", "name_sc": "观龙楼", "name_en": "Kwun Lung Lau"

Item	Description	Note
address	Address of the public housing estates.	<p>Text</p> <p>tc: X(500) sc: X(500) en: X(500)</p> <p>Example1: "address_tc": "香港堅尼地城龍華街 20 號", "address_sc": "香港堅尼地城龍華街 20 号", "address_en": "20 Lung Wah Street, Kennedy Town, Hong Kong"</p> <p>Example2: "address_tc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_sc": "九龍土瓜灣靠背壟道 160 号 高山道 89-111 号", "address_en": "120-160 Kau Pui Lung Road 89-111 Ko Shan Road, Tokwawan, Kowloon"</p> <p> : Split String</p>
sitearea	Area of site.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "sitearea_tc": "22,654.21 平方米", "sitearea_sc": "22,654.21 平方米", "sitearea_en": "22,654.21 sq. m."</p> <p>Example2: "sitearea_tc": "約 1,871.63 平方米", "sitearea_sc": "約 1,871.63 平方米", "sitearea_en": "Approx. 1,871.63sq. m."</p>

Item	Description	Note
completionyear	Year of completing building the court.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "completionyear_tc": "1965", "completionyear_sc": "1965", "completionyear_en": "1965",</p> <p>Example2: "completionyear_tc": "2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_sc": "2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_en": "2007 Phase I (Redevelopment): Tower 1 & 2 1967 Phase II: Block A to D 1968 Phase II: Block E to F"</p> <p> : Split String</p>
noofblocks	Number of blocks.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "noofblocks_tc": "8", "noofblocks_sc": "8", "noofblocks_en": "8"</p> <p>Example2: "noofblocks_tc": "1 (出租) 4 (出售)", "noofblocks_sc": "1 (出租) 4 (出售)", "noofblocks_en": "1 (Rental) 4 (Sale)"</p> <p> : Split String</p>

Item	Description	Note
totalflat	Number of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "totalflat_tc": "3,674 (部分為年長者單位)", "totalflat_sc": "3,674 (部分為年長者單位)", "totalflat_en": "3,674 (Including elderly persons' flats)"</p> <p>Example2: "totalflat_tc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_sc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_en": "872 Phase I (Redevelopment) 1,468 Phase II 2,340 Total"</p> <p> : Split String</p>
flatarea	Area of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "flatarea_tc": "約 18.70 - 51.40 平方米", "flatarea_sc": "約 18.70 - 51.40 平方米", "flatarea_en": "18.70 - 51.40 sq. m."</p> <p>Example2: "flatarea_tc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_sc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_en": "27.08 - 46.77 sq. m. (Rental) 55.56 - 76.65 sq. m. (Sale)"</p> <p> : Split String</p>

Item	Description	Note
profile	Profile of the estate.	Text tc: X(1000) sc: X(1000) en: X(1000) Example: "profile_tc": "興建偉景花園的土地是由開山及填海而得來 屋邨落成初期主要為受荃灣寶石大廈重建影響的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_sc": "兴建伟景花园的土地是由开山及填海而得來 屋邨落成初期主要为受荃湾宝石大厦重建影响的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_en": "Built on land acquired by excavation and reclamation The estate was built initially to rehouse the residents affected by the redevelopment of Bo Shek Mansion A small shopping mall was provided for the convenience of the tenants" : Split String
facilities	Facilities that estate provided.	Text tc: X(500) sc: X(500) en: X(500) Example: "facilities_tc": "停車場,幼稚園,休憩園林,商舖", "facilities_sc": "停车场,幼稚园,休憩园林,商铺", "facilities_en": "Carparks,Kindergarten,Landscaped garden,Shops"

8. Urban Renewal Projects: <https://www.hkhs.com/api/json?type=ha&id=10>

Item	Description	Note
tc	Value in Traditional Chinese.	
sc	Value in Simplified Chinese.	
en	Value in English.	
name	Name of the public housing estates.	Text tc: X(45) sc: X(45) en: X(45) Example: "name_tc": "觀龍樓", "name_sc": "观龙楼", "name_en": "Kwun Lung Lau"

Item	Description	Note
address	Address of the public housing estates.	<p>Text</p> <p>tc: X(500) sc: X(500) en: X(500)</p> <p>Example1: "address_tc": "香港堅尼地城龍華街 20 號", "address_sc": "香港堅尼地城龍華街 20 號", "address_en": "20 Lung Wah Street, Kennedy Town, Hong Kong"</p> <p>Example2: "address_tc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_sc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_en": "120-160 Kau Pui Lung Road 89-111 Ko Shan Road, Tokwawan, Kowloon"</p> <p> : Split String</p>
sitearea	Area of site.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "sitearea_tc": "22,654.21 平方米", "sitearea_sc": "22,654.21 平方米", "sitearea_en": "22,654.21 sq. m."</p> <p>Example2: "sitearea_tc": "約 1,871.63 平方米", "sitearea_sc": "約 1,871.63 平方米", "sitearea_en": "Approx. 1,871.63sq. m."</p>

Item	Description	Note
completionyear	Year of completing building the court.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "completionyear_tc":"1965", "completionyear_sc":"1965", "completionyear_en":"1965",</p> <p>Example2: "completionyear_tc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_sc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_en":"2007 Phase I (Redevelopment): Tower 1 & 2 1967 Phase II: Block A to D 1968 Phase II: Block E to F"</p> <p> : Split String</p>
noofblocks	Number of blocks.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "noofblocks_tc":"8", "noofblocks_sc":"8", "noofblocks_en":"8"</p> <p>Example2: "noofblocks_tc":"1 (出租) 4 (出售)", "noofblocks_sc":"1 (出租) 4 (出售)", "noofblocks_en":"1 (Rental) 4 (Sale)"</p> <p> : Split String</p>

Item	Description	Note
totalflat	Number of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "totalflat_tc": "3,674 (部分為年長者單位)", "totalflat_sc": "3,674 (部分為年長者單位)", "totalflat_en": "3,674 (Including elderly persons' flats)"</p> <p>Example2: "totalflat_tc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_sc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_en": "872 Phase I (Redevelopment) 1,468 Phase II 2,340 Total"</p> <p> : Split String</p>
flatarea	Area of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "flatarea_tc": "約 18.70 - 51.40 平方米", "flatarea_sc": "約 18.70 - 51.40 平方米", "flatarea_en": "18.70 - 51.40 sq. m."</p> <p>Example2: "flatarea_tc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_sc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_en": "27.08 - 46.77 sq. m. (Rental) 55.56 - 76.65 sq. m. (Sale)"</p> <p> : Split String</p>

Item	Description	Note
profile	Profile of the estate.	Text tc: X(1000) sc: X(1000) en: X(1000) Example: "profile_tc": "興建偉景花園的土地是由開山及填海而得來 屋邨落成初期主要為受荃灣寶石大廈重建影響的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_sc": "兴建伟景花园的土地是由开山及填海而得來 屋邨落成初期主要为受荃湾宝石大厦重建影响的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_en": "Built on land acquired by excavation and reclamation The estate was built initially to rehouse the residents affected by the redevelopment of Bo Shek Mansion A small shopping mall was provided for the convenience of the tenants" : Split String
facilities	Facilities that estate provided.	Text tc: X(500) sc: X(500) en: X(500) Example: "facilities_tc": "停車場,幼稚園,休憩園林,商舖", "facilities_sc": "停车场,幼稚园,休憩园林,商铺", "facilities_en": "Carparks,Kindergarten,Landscaped garden,Shops"

9. Urban Improvement Scheme: <https://www.hkhs.com/api/json?type=ha&id=9>

Item	Description	Note
tc	Value in Traditional Chinese.	
sc	Value in Simplified Chinese.	
en	Value in English.	
name	Name of the public housing estates.	Text tc: X(45) sc: X(45) en: X(45) Example: "name_tc": "觀龍樓", "name_sc": "观龙楼", "name_en": "Kwun Lung Lau"

Item	Description	Note
address	Address of the public housing estates.	<p>Text</p> <p>tc: X(500) sc: X(500) en: X(500)</p> <p>Example1: "address_tc": "香港堅尼地城龍華街 20 號", "address_sc": "香港堅尼地城龍華街 20 號", "address_en": "20 Lung Wah Street, Kennedy Town, Hong Kong"</p> <p>Example2: "address_tc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_sc": "九龍土瓜灣靠背壟道 160 號 高山道 89-111 號", "address_en": "120-160 Kau Pui Lung Road 89-111 Ko Shan Road, Tokwawan, Kowloon"</p> <p> : Split String</p>
sitearea	Area of site.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "sitearea_tc": "22,654.21 平方米", "sitearea_sc": "22,654.21 平方米", "sitearea_en": "22,654.21 sq. m."</p> <p>Example2: "sitearea_tc": "約 1,871.63 平方米", "sitearea_sc": "約 1,871.63 平方米", "sitearea_en": "Approx. 1,871.63sq. m."</p>

Item	Description	Note
completionyear	Year of completing building the court.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "completionyear_tc":"1965", "completionyear_sc":"1965", "completionyear_en":"1965",</p> <p>Example2: "completionyear_tc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_sc":"2007 第一期(重建): 第一至第二座 1967 第二期: A 至 D 座 1968 第二期: E 至 F 座", "completionyear_en":"2007 Phase I (Redevelopment): Tower 1 & 2 1967 Phase II: Block A to D 1968 Phase II: Block E to F"</p> <p> : Split String</p>
noofblocks	Number of blocks.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "noofblocks_tc":"8", "noofblocks_sc":"8", "noofblocks_en":"8"</p> <p>Example2: "noofblocks_tc":"1 (出租) 4 (出售)", "noofblocks_sc":"1 (出租) 4 (出售)", "noofblocks_en":"1 (Rental) 4 (Sale)"</p> <p> : Split String</p>

Item	Description	Note
totalflat	Number of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "totalflat_tc": "3,674 (部分為年長者單位)", "totalflat_sc": "3,674 (部分為年長者單位)", "totalflat_en": "3,674 (Including elderly persons' flats)"</p> <p>Example2: "totalflat_tc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_sc": "872 第一期(重建) 1,468 第二期 2,340 合共", "totalflat_en": "872 Phase I (Redevelopment) 1,468 Phase II 2,340 Total"</p> <p> : Split String</p>
flatarea	Area of flats.	<p>Text</p> <p>tc: X(255) sc: X(255) en: X(255)</p> <p>Example1: "flatarea_tc": "約 18.70 - 51.40 平方米", "flatarea_sc": "約 18.70 - 51.40 平方米", "flatarea_en": "18.70 - 51.40 sq. m."</p> <p>Example2: "flatarea_tc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_sc": "27.08 - 46.77 平方米 (出租) 55.56 - 76.65 平方米 (出售)", "flatarea_en": "27.08 - 46.77 sq. m. (Rental) 55.56 - 76.65 sq. m. (Sale)"</p> <p> : Split String</p>

Item	Description	Note
profile	Profile of the estate.	Text tc: X(1000) sc: X(1000) en: X(1000) Example: "profile_tc": "興建偉景花園的土地是由開山及填海而得來 屋邨落成初期主要為受荃灣寶石大廈重建影響的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_sc": "兴建伟景花园的土地是由开山及填海而得來 屋邨落成初期主要为受荃湾宝石大厦重建影响的原居民提供居所 邨內設有小型商場，方便居民購物", "profile_en": "Built on land acquired by excavation and reclamation The estate was built initially to rehouse the residents affected by the redevelopment of Bo Shek Mansion A small shopping mall was provided for the convenience of the tenants" : Split String
facilities	Facilities that estate provided.	Text tc: X(500) sc: X(500) en: X(500) Example: "facilities_tc": "停車場,幼稚園,休憩園林,商舖", "facilities_sc": "停车场,幼稚园,休憩园林,商铺", "facilities_en": "Carparks,Kindergarten,Landscaped garden,Shops"

10. HA Shop: <https://www.hkhs.com/api/json?type=shop>

Item	Description	Note
tc	Value in Traditional Chinese.	
sc	Value in Simplified Chinese.	
en	Value in English.	
name	Name of the estates.	Text tc: X(45) sc: X(45) en: X(45) Example: "name_tc": "羲皇臺 1 號", "name_sc": "羲皇台 1 号", "name_en": "1 Hee Wong Terrace"

Item	Description	Note
address	Address of the estates.	Text tc: X(500) sc: X(500) en: X(500) Example: "address_tc": "香港堅尼地城羲皇臺 1 號", "address_sc": "香港堅尼地城羲皇台 1 号", "address_en": "1 Hee Wong Terrace, Kennedy Town, Hong Kong" : Split String
enquiries	Contact of Estate / Property Management Offices.	Text X(45) Example: "enquiries": "2839 7588"
area	Area of the shop.	Text tc: X(255) sc: X(255) en: X(255) Example: "area_tc": "164 平方米", "area_sc": "164 平方米", "area_en": "164 sq. m."
carpark	Number of packing spaces.	Text X(45) Example1: "carpark": "N/A" Example2: "carpark": "110"